



**HYGIENE .  
INSTRUMENT REPROCESSING**

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - RIWO-BOX**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6

**Stopcocks**



7

**Rubber Seals**



8

**Hand blower for air insufflation**


## PERFORATED BASKETS

Illustration	Description	Product no.
	<p>Holds: laser fiber, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD): 231x52x223mm, outer dimensions (WxHxD): 248x72x239mm</p>	<b>38001</b>
<p>Perforated basket for laser fiber</p> <p>also:</p> 	<p>for perforated basket for laser fiber, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, Ø 34,6x2,62mm, PACK=5 PCS</p>	<b>643301262</b>
 <p>Perforated basket for camera head</p> <p>also:</p>	<p>Holds: camera head, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD): 434x62x189mm, outer dimensions (WxHxD): 448x73x200mm</p> <p>suitable for:</p> <p>85525902: Logic HD camera head cable 3m  85525922: Logic HD camera head cable 3m  85525923: Logic HD camera head cable 5m  85525942: Logic 4K camera head  5525933: Logic HD pendual camera head cable 3m  5525833: Logic HD pendual camera head blue 5514901: Performance camera head cable 4m  5514961: Performance camera head cable 4m  5521902: Flex HD camera head cable 2,5m</p>	<b>38002</b>
<p>Set of fixing chains</p>	<p>for perforated basket for camera head, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, fixing chains: 1x 6 balls, 6x 7 balls, 1x 8 balls</p>	<b>643301174</b>
	<p>Holds: video mediastinoscope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with instrument holder, with small part basket, inner dimensions (WxHxD): 234x67x224mm, outer dimensions (WxHxD): 256x85x250mm</p>	<b>38007</b>


## PERFORATED BASKETS

Illustration	Description	Product no.
	Holds: standard telescope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport  inner dimensions (WxHxD): 270x52x40mm, outer dimensions (WxHxD): 297x54x59mm	<b>38015</b>
<b>Perf. basket for standard telescope 2</b>	inner dimensions (WxHxD): 454x52x40mm, outer dimensions (WxHxD): 481x54x59mm	<b>38016</b>
<b>Perf. basket for standard telescope 3</b>	inner dimensions (WxHxD): 592x52x40mm, outer dimensions (WxHxD): 619x54x59mm	<b>38017</b>
also:  <b>Fixing chain with 4 balls</b>	for perforated basket, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport	<b>64271020</b>
  <b>Spring clip for perforated basket</b>	locking device for perforated basket for telescope, exchangeable	<b>64076028</b>
	Holds: ureteroscope, nephroscope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with holders for sonotrodes, with small part basket, inner dimensions (WxHxD): 619x65x124mm, outer dimensions (WxHxD): 635x75x132mm  suitable for: 8701.xxx: Ureterorenoscope 8702.xxx: Ureterorenoscope E-Line 8703.xxx: Ureterorenoscope E-Line 8704.xxx: Ureterorenoscope E-Line 8708.xxx: Continuous irrigation ureterorenoscope 8968.421: Nephroscope 12°	<b>38003</b>
	Holds: cystoscope, telescope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with small part basket, inner dimensions (WxHxD): 451x65x124mm, outer dimensions (WxHxD): 467x75x132mm  suitable for: 8626.531: Cystoscope 12° 8632.411: Operating telescope 8643.401: PANOVIEW Plus telescope 8746.401: OP-Endoscope 12°	<b>38004</b>



## PERFORATED BASKETS

Illustration	Description	Product no.
	<p>Holds: discoscope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with small part basket, inner dimensions (WxHxD): 451x65x124mm, outer dimensions (WxHxD): 467x75x132mm</p> <p>suitable for:            89210.1253: Discoscope 25°            89210.1254: Discoscope 25°            89210.3253: Discoscope 25°            89210.3254: Discoscope 25°         </p>	<b>38005</b>
<b>Perforated basket for discoscope</b>  also:  <b>Rinsing adapter</b>		<b>64164.039</b>
	<p>Holds: hysteroscop, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, for holding replacement sheaths, with smallpart basket, inner dimensions (WxHxD): 467x65x132mm, outer dimensions (WxHxD): 467x75x132mm</p> <p>suitable for:            8753.411: Telescope 12°         </p>	<b>38006</b>
<b>Perforated basket for hysteroscope 1</b>  also:  <b>Adapter</b>		<b>64164.033</b>
	<p>Holds: Hysteroscope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with small part basket, inner dimensions (WxHxD): 451x80x124mm, outer dimensions (WxHxD): 467x90x132mm</p> <p>suitable for:            8986.401: Hysteroscope 20°            8977.411: Mini compact hysteroscope            8793.401: PANOVIEW PLUS discoscope            8792.401: PANOVIEW PLUS discoscope            8792.411: PANOVIEW PLUS discoscope            8767.412: PANOVIEW PLUS telescope         </p>	<b>38009</b>
<b>Perforated basket for hysteroscope 2</b>  also:  <b>Rinsing adapter</b>		<b>64164.039</b>

## PERFORATED BASKETS

Illustration	Description	Product no.
	<p>Holds: Telescope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with small part basket, inner dimensions (WxHxD): 451x65x124mm, outer dimensions (WxHxD): 467x75x132mm</p> <p>suitable for: 8920.4011: OP-endoscope bndl</p>	<b>38008</b>
<b>Perforated basket for telescope</b>  also: <b>Adapter</b>		<b>64164.031</b>
	<p>Holds: stereo telescope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD): 451x130x189mm, outer dimensions (WxHxD): 477x139x196mm</p> <p>suitable for: 8840.402: Telescope 40° 884080: Stereo-endoscope 50°</p>	<b>38010</b>
<b>Perforated basket for nephroscope</b>  also: <b>Rinsing adapter</b>	<p>Holds: Nephroscope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with small part basket, inner dimensions (WxHxD): 451x65x164mm, outer dimensions (WxHxD): 467x75x172mm</p> <p>suitable for: 8964.401: Nephroscope 12° 8965.401: Nephroscope 20° 8965.411: Nephroscope 20° 8966.401: Nephroscope 12°</p>	<b>38011</b>
<b>Adapter</b>	suitable for: 8964.401/8965.401/8965.411	<b>64164.038</b>
	suitable for: 8966.401	<b>64164.031</b>

## PERFORATED BASKETS

Illustration	Description	Product no.
	<p>Holds: Cysto-urethroscope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD): 435x54x73mm, outer dimensions (WxHxD): 451x64x80mm</p> <p>suitable for: 8642.403: Cystoscope 25° 8645.403: Cystoscope 25°</p>	<b>38013</b>
	<p>Holds: Morcescope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, with small part basket, inner dimensions (WxHxD): 451x65x164mm, outer dimensions (WxHxD): 467x75x172mm</p> <p>suitable for: 8970.40: Morcescope 12° 8970402: Morcescope 12° 8970403: Morcescope 0° 8970405: Morcescope 0° 8970407: Morcescope 12</p>	<b>38012</b>
<b>Adapter</b>		<b>64164.031</b>
	<p>Holds: 3D telescope, for machine reprocessing, sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD): 569x69x189mm, outer dimensions (WxHxD): 583x80x200mm</p> <p>suitable for: 89346311: 3D Endoscope bndl 893446311: 3D Endoscope bndl 89346321: 3D Endoscope bndl 893446321: 3D Endoscope bndl</p>	<b>38014</b>
<b>Set of fixing chains</b>	<p>for perforated basket for 3D telescope, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, fixing chains: 1x 5 balls, 1x 6 balls, 2x 7 balls, 1x 8 balls</p>	<b>643301187</b>

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - Washing - Disinfection - Neutralisation**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6


**Stopcocks**

7


**Sealing Caps**

8

**Hand Blower for air insufflation**



## BASKET SYSTEM






RICHARD WOLF's open mesh basket system, which has universal application, holds even the most expensive instruments safely and carefully during

- sterilization
- transport
- storage


The universal basket concept allows almost any basket configuration to be set up.

## BASKET SYSTEM

Illustration	Description	Product no.
	Holds: Instrument and accessories, for sterilization (steam and low-temperature), storage and transport, with instrument separator (2), inner dimensions (WxHxD): 709x88x259mm, outer dimensions (WxHxD): 732x117x282mm	<b>33001</b>
	Holds: Instrument and accessories, for sterilization (steam and low-temperature), storage and transport, with instrument separator (4), inner dimensions (WxHxD): 709x186x259mm, outer dimensions (WxHxD): 743x200x282mm	<b>33002</b>
	Holds: Instrument and accessories, for sterilization (steam and low-temperature), storage and transport, with instrument separator (2), inner dimensions (WxHxD): 513x95x233mm, outer dimensions (WxHxD): 538x117x250mm	<b>33003*</b>
	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD): 513x95x233mm, outer dimensions (WxHxD): 538x117x250mm	<b>33004*</b>
	Holds: Instrument and accessories, for sterilization (steam and low-temperature), storage and transport, with instrument separator (4), inner dimensions (WxHxD): 513x184x233mm, outer dimensions (WxHxD): 549x200x250mm	<b>33005*</b>

\* suitable for standard container

## BASKET SYSTEM EQUIPMENT

Illustration	Description	Product no.
	Storage and transport, for holding instruments during sterilization (steam and low-temperature), dimensions (WxD): 500x226mm	33301
	Holds: instruments, storage and transport, for holding instruments during sterilization (steam and low-temperature)	33302
	Storage and transport, for holding instruments during sterilization (steam and low-temperature)	33303
	Storage and transport, for aligning the axial position of instruments during sterilization (steam and low-temperature)	33304
	closed 3 parts, for instruments with outer diameter, storage and transport, for holding instruments during sterilization (steam and low-temperature), outer dimensions (WxHxD): 109x40x5mm	33305
	open 3 parts, storage and transport, for holding instruments during sterilization (steam and low-temperature), outer dimensions (WxHxD): 109x35x5mm	33306
	closed 5 parts, storage and transport, for holding instruments during sterilization (steam and low-temperature), outer dimensions (WxHxD): 109x35x5mm	33307
	open 5 parts, storage and transport, for holding instruments during sterilization (steam and low-temperature), outer dimensions (WxHxD): 109x35x5mm	33308
	closed 7 parts, storage and transport, for holding instruments during sterilization (steam and low-temperature), outer dimensions (WxHxD): 109x35x5mm	33309
	open 7 parts, storage and transport, for holding instruments during sterilization (steam and low-temperature), outer dimensions (WxHxD): 109x25x5mm	33310

## BASKET SYSTEM EQUIPMENT

Illustration	Description	Product no.
 <b>Locking pin for mesh basket</b>  required for this: <b>Knurled nut for perforated basket</b>	for holding instruments during sterilization (steam and low-temperature), storage and transport	<b>64019127</b>
		<b>64082153</b>
 <b>Set of fixing rings</b>	for universal perforated basket, for holding instruments during sterilization (steam and low-temperature), storage and transport, 1x Ø 90,0x3,0mm, 1x Ø 116,0x3,0mm, PACK=2 PCS	<b>74002311</b>
 <b>Perforated basket for small parts</b>	Holds: Small parts, for sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD) : 109x20x109mm, outer dimensions (WxHxD) : 128x40x121mm	<b>33006</b>

## PERFORATED BASKETS

Illustration	Description	Product no.
	Holds: knee arthroscopy basic set, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (WxHxD): 513x134x233mm, outer dimensions (WxHxD): 549x150x250mm	<b>33007</b>
	Holds: instrument set for knee arthroscopy ACL/PCL 1, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (WxHxD): 513x134x233mm, outer dimensions (WxHxD): 549x150x250mm	<b>33008</b>
	Holds: instrument set for knee arthroscopy ACL/PCL 2, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (WxHxD): 513x134x233mm, outer dimensions (WxHxD): 549x150x250mm	<b>33009</b>
	Holds: knee arthroscopy preparation table, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (WxHxD): 513x134x233mm, outer dimensions (WxHxD): 549x150x250mm	<b>33010</b>

suitable for standard container

## PERFORATED BASKETS

Illustration	Description	Product no.
	<p>Holds: instrument set for shoulder arthroscopy, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (WxHxD): 513x95x233mm, outer dimensions (WxHxD): 538x117x250mm</p> <p><b>Perf. Basket for shoulder arthroscopy</b></p> <p>hierzu:</p> <p><b>Fixing ring Ø 50.39mm</b></p>	<b>33012</b>
	<p>for perforated basket for flexible endoscopes, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, Ø 50,39x3,53mm, PACK=10 PCS</p>	<b>643301261</b>
	<p>Holds: VERTEBRIS lumbar instrument set, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (WxHxD): 513x134x233mm, outer dimensions (WxHxD): 549x150x250mm</p>	<b>33011</b>
<b>Perf. basket for VERTEBRIS foraminotomy</b>	<p>Holds: VERTEBRIS foraminotomy instrument set, for sterilization (steam and low-temperature), storage and transport, with instrument holders,</p> <p>inner dimensions (WxHxD): 503x42x246mm, outer dimensions (WxHxD): 525x65x255mm</p>	<b>33013</b>
<b>Perforated basket for pain therapy</b>	<p>inner dimensions (WxHxD): 503x72x246mm, outer dimensions (WxHxD): 525x95x255mm</p>	<b>33014</b>

Suitable for standard container

## PERFORATED BASKETS

Illustration	Description	Product no.
	Holds: VERTEBRIS stenosis instrument set, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (wxhxd): 513x134x233mm, outer dimensions (wxhxd): 549x150x250mm	<b>33015</b>
<b>Perf. basket for flexible endoscopes</b>  hierzu:  <b>Fixing ring Ø 50.39mm</b> 	Holds: flexible endoscopes, for sterilization (steam and low-temperature), storage and transport, inner dimensions (WxHxD): 432x88x272mm, outer dimensions (WxHxD): 448x106x288mm  for perforated basket for flexible endoscopes, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, Ø 50,39x3,53mm, PACK=10 PCS	<b>33016</b>  <b>643301261</b>

## RIWO SYSTEM TRAYS




	Description	Product no.
<b>Container (WxHxD) 300x60x120mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 300x57x120mm, outer dimensions (WxHxD): 366x77x186mm	<b>33019</b>
<b>Container (WxHxD) 300x60x200mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 300x57x200mm, outer dimensions (WxHxD): 366x77x266mm	<b>33020</b>
<b>Container (WxHxD) 400x60x120mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 400x57x120mm, outer dimensions (WxHxD): 466x77x186mm	<b>33021</b>
<b>Container (WxHxD) 400x60x200mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 400x57x200mm, outer dimensions (WxHxD): 466x77x266mm	<b>33022</b>
<b>Container (WxHxD) 500x60x120mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 500x57x120mm, outer dimensions (WxHxD): 566x77x186mm	<b>33023</b>
<b>Container (WxHxD) 500x60x200mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 500x57x200mm, outer dimensions (WxHxD): 566x77x266mm	<b>33024</b>
<b>Container (WxHxD) 500x75x120mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 500x73x120mm, outer dimensions (WxHxD): 566x92x186mm	<b>33017</b>
<b>Container (WxHxD) 600x60x200mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 600x57x200mm, outer dimensions (WxHxD): 666x77x266mm	<b>33025</b>
<b>Container (WxHxD) 700x60x120mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 700x57x120mm, outer dimensions (WxHxD): 766x77x186mm	<b>33026</b>
<b>Container (WxHxD) 700x60x200mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 700x57x200mm, outer dimensions (WxHxD): 766x77x266mm	<b>33027</b>
<b>Container (WxHxD) 700x75x120mm</b>	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (WxHxD): 700x73x120mm, outer dimensions (WxHxD): 766x92x186mm	<b>33018</b>

## RIWO SYSTEM TRAYS




	Description	Product no.
<b>Instrument mat for container</b>	Instrument mat for container (corner piece), for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, dimensions (WxD): 198,6x118,6mm	<b>75219.013</b>
<b>Instrument mat for container</b>	Instrument mat for container (center piece), for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, dimensions (WxD): 198,6x158,6mm	<b>75219.014</b>
<b>Instrument mat for container</b>	Instrument mat for container (corner piece), for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, dimensions (WxD): 118,2x118,2mm	<b>75219.016</b>
<b>Instrument mat for container</b>	Instrument mat for container (center piece), for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, dimensions (WxD): 157,6x118,2mm	<b>75219.017</b>

	Description	Product no.
<b>Instrument mat for lid</b>	Instrument mat for lid, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, including 3 pushbuttons, dimensions (WxD): 172x62mm	<b>75219.012</b>
<b>Instrument mat for lid</b>	Instrument mat for lid, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, including 2 pushbuttons, dimensions (WxD): 92x62mm	<b>75219.015</b>
<b>Pushbutton for lid</b>	Pushbutton to fix lid instrument mat in place	<b>75054.004</b>

## RIWO SYSTEM TRAYS

### ASSIGNMENT OF THE CONTAINERS AND THE CORRESPONDING INSTRUMENT MATS

Instrument container	Instrument mat for container	Instrument mat for lid	Pushbutton for lid
			
33019	2x 75219.016	2x 75219.015	4x 75054.004
33020	2x 75219.013	2x 75219.012	6x 75054.004
33021	2x 75219.016 1x 75219.017	3x 75219.015	6x 75054.004
33022	2x 75219.013 1x 75219.014	3x 75219.012	9x 75054.004
33023	2x 75219.016 1x 75219.017	3x 75219.015	6x 75054.004
33024	2x 75219.013 1x 75219.014	3x 75219.012	9x 75054.004
33017	2x 75219.016 1x 75219.017	3x 75219.015	6x 75054.004
33025	2x 75219.013 2x 75219.014	4x 75219.012	12x 75054.004
33026	2x 75219.016 2x 75219.017	4x 75219.015	8x 75054.004
33027	2x 75219.013 2x 75219.014	4x 75219.012	12x 75054.004
33018	2x 75219.016 2x 75219.017	4x 75219.015	8x 75054.004

## PROTECTIVE STERILIZATION SLEEVE

Illustration	Description	Product no.
	Holds: Resection, vaporization electrodes, Urethrotome, max. 5 pieces, for sterilization (steam and low-temperature), storage and transport, OD 22mm, TL 328m	<b>33030</b>
<b>Protective sterilization sleeve</b>  also:  <b>Plug</b>		
		<b>64192.019</b>

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - Washing - Disinfection - Neutralisation**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6

**Stopcocks**

7

**Sealing Caps**

8

**Hand Blower for air insufflation**

## RIWO TRAYS

Illustration	Description	Product no.
	Holds: instruments, for cleaning, disinfection and neutralization, inner dimensions (WxHxD): 432x100x150mm, outer dimensions (WxHxD): 550x157x200mm	<b>68601</b>
	Holds: instruments, for cleaning, disinfection and neutralization, inner dimensions (WxHxD): 760x100x150mm, outer dimensions (WxHxD): 880x157x200mm	<b>68602</b>
	Holds: instruments, for cleaning, disinfection and neutralization, inner dimensions (WxHxD): 548x100x348mm, outer dimensions (WxHxD): 600x139x400mm	<b>68603</b>

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - Washing - Disinfection - Neutralisation**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6

**Stopcocks**


7

**Sealing Caps**

8

**Hand Blower for air insufflation**


## WATER JET CLEANING PISTOL



The image shows a blue and silver water jet cleaning pistol with a flexible hose. A metal holder labeled 'SELECTA' holds eight different cleaning tips (A-H) and a water faucet adapter. The tips are labeled A through H below the holder.

	Product no.																								
<b>Water jet cleaning pistol</b> incl. clean pistol mounting (A-H) and holder	6199.00																								
Clean gun mounting (A-H)	<p>The adapters are suitable for cleaning the following</p> <table> <tbody> <tr> <td><b>A</b></td><td>Sheaths and inserts, syringes, injection cannulas</td><td>15515.003</td></tr> <tr> <td><b>B</b></td><td>Sheaths, measuring and blood pipettes</td><td>15515.004</td></tr> <tr> <td><b>C</b></td><td>Sheaths, measuring and blood pipettes</td><td>15515.005</td></tr> <tr> <td><b>D</b></td><td>Drainage tubes</td><td>15515.006</td></tr> <tr> <td><b>E</b></td><td>Taps, cannulas and syringes</td><td>15515.007</td></tr> <tr> <td><b>F</b></td><td>Douche attachments</td><td>15515.009</td></tr> <tr> <td><b>G</b></td><td>Bottles</td><td>15515.008</td></tr> <tr> <td><b>H</b></td><td>Water jet pumps (with attachments also suitable for drying)</td><td>15515.010</td></tr> </tbody> </table>	<b>A</b>	Sheaths and inserts, syringes, injection cannulas	15515.003	<b>B</b>	Sheaths, measuring and blood pipettes	15515.004	<b>C</b>	Sheaths, measuring and blood pipettes	15515.005	<b>D</b>	Drainage tubes	15515.006	<b>E</b>	Taps, cannulas and syringes	15515.007	<b>F</b>	Douche attachments	15515.009	<b>G</b>	Bottles	15515.008	<b>H</b>	Water jet pumps (with attachments also suitable for drying)	15515.010
<b>A</b>	Sheaths and inserts, syringes, injection cannulas	15515.003																							
<b>B</b>	Sheaths, measuring and blood pipettes	15515.004																							
<b>C</b>	Sheaths, measuring and blood pipettes	15515.005																							
<b>D</b>	Drainage tubes	15515.006																							
<b>E</b>	Taps, cannulas and syringes	15515.007																							
<b>F</b>	Douche attachments	15515.009																							
<b>G</b>	Bottles	15515.008																							
<b>H</b>	Water jet pumps (with attachments also suitable for drying)	15515.010																							

## CLEANING ACCESSORIES

Illustration	Description	Product no.
	<b>O-ring tool</b> for easy removal of O-rings	<b>15106.230</b>
	<b>Bellows pump</b> for blowing air through channels	<b>103.00</b>
	<b>Magnifier</b>	<b>9500.103</b>
	<b>Cleaning clamp for working elements</b>	<b>15242024</b>
	<b>Cleaning clip</b> for machine reprocessing of suction and irrigation handle 8475.26	<b>8475621</b>

## ADAPTER FOR WASHER-DISINFECTOR MACHINE REPROCESSING

Illustration	Description	suitable for	Product no.
	<b>Irrigation adapter</b> Ø 9 mm, length 64 mm	for insulated sheath tubes 8388200 / 8388201 / 8388202 / 8388203 / 8390933 / 8391933 / 8392933 / 8393933 / 8394933 / 8392935 / 8393935 / 8394935	<b>163502</b>
	<b>Rinsing adapter</b>	for uninsulated sheath tubes	<b>163503</b>
	<b>Adapter</b>	for leakage testing in OLYMPUS endoscope washer / disinfector	<b>163.905</b>
	<b>Irrigation adapter</b>	for flexible bronchoscope with suction valve	<b>163912</b>
	<b>Adapter</b>	for uretero renoscopes for cleaning the laser fiber channel	<b>163914</b>
	<b>Irrigation adapter</b>	for motor handpiece 8564.021	<b>163951</b>
	<b>Irrigation adapter</b>	for motor handpieces 89955.0000, 89955.0003, 89955.00001, 89955.00031	<b>163955</b>
	<b>Irrigation adapter</b>	for motor handpiece 89951.0001	<b>163956</b>
	<b>Connecting part, cpl.</b>	for flexible endoscopes	<b>15028.083</b>
	<b>Connecting part, cpl.</b>	for flexible bronoscopes	<b>15028103</b>

# ADAPTER FOR WASHER-DISINFECTOR


## MACHINE REPROCESSING

Illustration	Description	suitable for	Product no.
	<b>Attachment</b>	für Dichtigkeitstest in E-RDG-Spülmaschinen anderer Hersteller	<b>15092.102</b>
	<b>Attachment</b>	für Siebkorb 38008/38011/38012	<b>64164.031</b>
	<b>Rinsing adapter</b>	für Siebkorb 38011	<b>64164.038</b>
	<b>Rinsing adapter</b>	für Siebkorb 38009	<b>64164.039</b>
	<b>Irrigation adapter</b>	für DuoRotate Zangen / Scheren 5 mm / 10 mm	<b>8399300</b>

Illustration	for flexible urethro-cystoscopes, hysteroscopes and nasopharyngo-laryngoscopes	psuitable for	Product no.
	<b>Luer lock connector</b>	Ø 3 mm, männlich	<b>886.00</b>
	<b>Luer lock connector Ø 4mm</b>	Ø 4 mm, männlich Länge 29,5 mm	<b>886.01</b>
	<b>Connexion de tube Ø 3mm</b>	Ø 3 mm, weiblich	<b>891.00</b>
	<b>Luer lock tube part</b>	Ø 4 mm, weiblich	<b>15023.041</b>

# DISPOSABLE CLEANING BRUSH

## FOR RIGID INSTRUMENTS



for single use (PACK=10 PCS)	Brush head Ø mm	Brush length BL mm	Total length TL mm	Color	for channel Ø mm	Product no.
Cleaning brush Ø 2mm TL 400mm	2	20	400	blue	1.0 - 1.5	7970402
Cleaning brush Ø 2mm TL 700mm			700			7970702
Cleaning brush Ø 3mm TL 400mm	3	30	400	red	1.6 - 2.5	7970403
Cleaning brush Ø 3mm TL 700mm			700			7970703
Cleaning brush Ø 4mm TL 400mm	4	30	400	yellow	2.6 - 3.5	7970404
Cleaning brush Ø 4mm TL 700mm			700			7970704
Cleaning brush Ø 5mm TL 400mm	5	48	400	green	3.6 - 4.5	7970405
Cleaning brush Ø 5mm TL 700mm			700			7970705
Cleaning brush Ø 7mm TL 400mm	7	48	400	purple	4.6 - 6.5	7970407
Cleaning brush Ø 7mm TL 700mm			700			7970707
Cleaning brush Ø 9mm TL 400mm	9	48	400	orange	6.6 - 8.5	7970409
Cleaning brush Ø 9mm TL 700mm			700			7970709
Cleaning brush Ø 11mm TL 400mm	11	48	400	white	8.6 - 10.5	7970411
Cleaning brush Ø 11mm TL 700mm			700			7970711
(PACK=5 PCS)						
Cleaning brush Ø 14mm TL 400mm	14	48	400	pink	10.6 - 13.5	7970414
Cleaning brush Ø 14mm TL 700mm			700			7970714
Cleaning brush Ø 17mm TL 400mm	17	48	400	black	13.6 - 16.5	7970417
Cleaning brush Ø 17mm TL 700mm			700			7970717
Cleaning brush Ø 20mm TL 400mm	20	48	400	light blue	16.6 - 19.5	7970420
Cleaning brush Ø 20mm TL 700mm			700			7970720

## DISPOSABLE CLEANING BRUSH STORAGE RACK



- Various brushes for the entire range of Richard Wolf instruments
- Color coding
- Brushes validated for the specified diameter
- No reprocessing required




	Product no.
<b>Storage rack</b> <b>For cleaning brushes</b>	for storing and easily removing cleaning brushes, for wall mounting, Material: stainless steel, reusable

## DISPOSABLE CLEANING BRUSH

FOR STOPCOCKS AND STOPCOCK PLUGS OF RIGID AND FLEXIBLE INSTRUMENTS

for single use (PACK= 50 ST)	Brush head BK (PACK= 50PCS)		Brush length BL		Total length TL	Color	for stopcock insert / housings with	Product no.
	BK1 Ø mm	BK2 Ø mm	BL1 mm	BL2 mm			Pegs	
	conical 4-7	3	35	20	180	blue	2	7980001
Double conical straight cleaning brush	conical 5-9	4	35	20	180	red	3	7980002
	conical 6-11	5	35	20	180	yellow	4	7980003
	also:							
								
Product no.								
Dispenser for Cleaning brushes		for storing and easily removing cleaning brushes, for table mounting, Material: stainless steel, reusable						7980901

## DISPOSABLE CLEANING BRUSH FOR FLEXIBLE ENDOSCOPES



for single use (PACK= 10 PCS)	$\varnothing$ mm	Color	Brush length BL mm	Total length TL mm	Application		Product no.
					in working and laser channel	in the flexible endoscopes	
Cleaning brush $\varnothing$ 2mm TL 1200mm	2	yellow	20	1200	$\varnothing$ 1.0 - 1.5 mm	7223.xxx 7325.xxx 7326.xxx 7330.xxx 7331.xxx	7990001
Cleaning brush $\varnothing$ 3mm TL 1200mm	3	green	30	1200	$\varnothing$ 2.0 - 2.5 mm	7250.011 7265.xxx 7268.xxx 7269.xxx 7270.xxx 7305.xxx 7308.xxx 7309.xxx 7310.xxx	7990002
Cleaning brush $\varnothing$ 0,85mm TL 1200mm	0.85	blue	10	1200	$\varnothing$ 0.8 mm	7356xxx	7990003
Cleaning brush $\varnothing$ 5mm TL 1200mm	5	white	20	1200	$\varnothing$ 2.5 - 3.5 mm	7235xxx 7236xxx 7260xxx 7315xxx	7990005

## CLEANING BRUSH FOR SURFACE CLEANING

	Brush length BL mm	Product no.
<b>Cleaning brush</b> straight, for single use (PACK=10 PCS)	25	<b>8691</b>

	Brush length BL mm	Product no.
<b>Cleaning brush</b> angled, steam-sterilizable	42	<b>86.90</b>

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - Washing - Disinfection - Neutralisation**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6

**Stopcocks**

7

**Sealing Caps**

8

**Hand Blower for air insufflation**

## STERILIZATION ACCESSORIES / DETERGENTS AND CLEANING AGENTS



163.903



163.904

Sterilization Accessories	Product no.
<b>Leak tester For flex. endoscopes</b> reusable	<b>163.903</b>
<b>Pressure equalization valve</b> reusable	<b>163.904</b>

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - Washing - Disinfection - Neutralisation**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6

**Stopcocks**

7


**Sealing Caps**

8

**Hand Blower for air insufflation**

## STOPCOCKS

Illustration	Demountable stopcock inserts		Product no.
	<b>Stopcock</b> for two-way stopcock		<b>15036060</b>
	Nubs	Demountable stopcock inserts	Product no.
	•	<b>Stopcock bndl CAP 2.5mm</b> capacity 1.8 mm and 2.5 mm, identification: 2 nubs (PACK= 5 PCS)	<b>896.0001</b>
	• • •	<b>Stopcock bndl CAP 3.0mm</b> capacity 3.0 mm, identification: 3 nubs (PACK= 5 PCS)	<b>896.0002</b>
	• • • •	<b>Stopcock bndl CAP 4.5mm</b> capacity 4.2 mm, identification: 4 nubs (PACK= 5 PCS)	<b>896.0003</b>



The stopcock housings and the corresponding stopcock inserts are marked with indicator nubs in order to simplify assembly.

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - Washing - Disinfection - Neutralisation**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6

**Stopcocks**



7

**Sealing Caps**

8

**Hand Blower for air insufflation**

## SEALING CAPS

Illustration		Capacity Ø mm	Colour	Product no.
<b>Sealing cap small, PACK= 10 PCS</b> 	Sealing cap without holes	-	dark orange	<b>89.20</b>
	Sealing cap CAP <2,4mm	< 2,4	black	<b>89.00</b>
	Sealing cap CAP 2,4-3,4mm	2,4 - 3,4	red	<b>89.01</b>
	Sealing cap CAP 3,4-5,1mm	3,4 - 5,1	blue	<b>89.02</b>
	Sealing cap CAP 5,1-6,0mm	5,1 - 6,0	grey	<b>89.03</b>
	Sealing cap CAP 6,0-7,0mm	6,0 - 7,0	brown	<b>89.04</b>
	Sealing cap CAP 6,0-7,0mm	7,0 - 8,0	yellow	<b>89.05</b>
	Sealing cap CAP 9,5-10,1mm	9,5 - 10,1	red	<b>89.08</b>
	Sealing cap CAP >10,1mm	> 10,1	blue	<b>89.09</b>
	Sealing cap CAP 13,0-13,8mm	13,0 - 13,8	red	<b>89.10</b>
	Sealing cap CAP 4-6mm	4,0 - 6,0	red	<b>89.141</b>
	Sealing cap CAP 7,5-8,5mm	7,5 - 8,5	blue	<b>89.161</b>
	Sealing cap CAP 7,0mm	7,0	brown	<b>89.171</b>
<b>Sealing cap with cross slot</b> 	for trocar sleeves with thread PACK= 10 PCS	-	dark orange	<b>89.90</b>
<b>RIWO rubber cap</b> PACK= 10 PCS  	RIWO rubber cap without holes	-	dark orange	<b>88.00</b>
	RIWO rubber cap CAP 0,5mm	0,5	red	<b>88.005</b>
	RIWO rubber cap CAP 0,8mm	0,8	dark orange	<b>88.01</b>
	RIWO rubber cap CAP 1,4mm	1,4	blue	<b>88.02</b>
	RIWO rubber cap CAP 2,4mm	2,4	black	<b>88.03</b>
	RIWO rubber cap CAP 4,0mm	4,0	green	<b>88.04</b>
	Rubber cap for hysteroscope long, PACK= 1 PCS	-	dark orange	<b>18.01</b>

## HYGIENE - INSTRUMENT REPROCESSING

1

**Machine Reprocessing - Sterilization - Storage - Transport**

2

**Sterilization - Storage - Transport**

3

**Manual Reprocessing - Washing - Disinfection - Neutralisation**

4

**Reprocessing Accessories**

5

**Detergents and Cleaning Agents**

6

**Stopcocks**




7

**Sealing Caps**

8

**Hand Blower for air insufflation**

## HAND BLOWER FOR SINGLE USE FOR AIR INSUFFLATION

Illustration hand blower	Applications			
	 Pharynx and Larynx / Thorakoscopy			
for single use		Ø mm	Length mm	Product no.
	<b>Hand blower</b> with filter for single use, sterile (PACK= 5 PCS)	49	GL 567	<b>412700N</b>
	<b>Rectoscope tube</b> <b>Ø 21mm WL 250mm</b> with obturator, graduated, sterile (PACK=10 PCS)	21	WL 250	<b>4844255</b>
	<b>Proctoscope tube</b> <b>Ø 21 WL 117mm</b> with obturator, graduated, sterile (PACK=10 PCS)	21	WL 117	<b>4844120</b>

